



GENERAL NOTES

PLAN DIMENSIONS AND DETAILS RELATIVE TO EXISTING PLANS ARE SUBJECT TO ROUTINE VARIATIONS. THE CONTRACTOR SHALL FIELD VERIFY EXISTING DIMENSIONS AND DETAILS AFFECTING NEW CONSTRUCTION AND MAKE NECESSARY APPROVED ADJUSTMENTS PRIOR TO CONSTRUCTION OR ORDERING OF MATERIALS. SUCH VARIATIONS SHALL NOT BE CAUSE FOR ADDITIONAL COMPENSATION FOR A CHANGE IN SCOPE OF THE WORK, HOWEVER, THE CONTRACTOR WILL BE PAID FOR THE QUANTITY ACTUALLY FURNISHED BASED UPON THE UNIT PRICE BID FOR THE WORK.

THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE PER CUBIC YARD FOR CONCRETE STRUCTURES.

THE COST OF EPOXY GROUTING THREADED RODS SHALL BE INCLUDED WITH REINFORCEMENT BARS (EPOXY COATED).

REINFORCEMENT BARS SHALL CONFORM TO THE REQUIREMENTS OF ASTM A706 OR 60(IL MODIFIED).

REINFORCEMENT BARS DESIGNATED (E) SHALL BE EPOXY COATED.

* EPOXY GROUT BARS IN 9" MIN. HOLES ACCORDING TO ARTICLE 584 OF THE STANDARD SPECIFICATIONS.

	•• CHAMPAIGN & VERI								
FILE NAME ≈	USER NAME = \$USER\$	DESIGNED -	REVISED ~			TAPERED CRASHWALL EXTENSION	F.A.I. SECTION	COUNTY TO	TAL SHEET
FILEL		DRAWN -	REVISED -	STATE OF ILLINOIS			74 FY08HSIP	370	E 15 NU.
	PLOT SCALE = #SCALE#	CHECKED -	REVISED -	DEPARTMENT OF TRANSPORTATION	(THREE CIRCULAR COLUMN PIER)		14 1700131	CONTRACT NO. 70643	
1	PLOT DATE * *DATE*	DATE -	REVISED -	1	SCALE:	SHEET NO. OF SHEETS STA. TO STA.	FFD. ROAD DIST, NO. THE INDIS	IS FED. AID PROJECT	3, 10013